
# A Survey of TBT Capabilities of the Upgraded TeV BPMs

Rob Kutschke, CD/EXP
Tevatron Department Meeting
February 18, 2005

#### This Talk Will Show:


- Injection TBT
  - Triggered by injection.
  - Either single bunch or uncoalesced beam.
  - Can see: synchrotron motion, betatron motion, quadrupole oscillations of bunch in the bucket, HV coupling, plus some instrumental artifacts.
- TBT
  - Triggered by request.
  - Will show 36x36 during normal HEP store.
    - Do NOT ping beam.
    - Can see the "15 Hz" motion.
- Using data taken at A3 over the past two weeks.




1.1 mm full vertical scale


0.6 mm full vertical scale


- Injection TBT; 150 GeV; 8192 turns.
- One coalesced bunch. HEP shot after all tuning.






- Synchroton line present in H but not V.
- 150 GeV expected sync frequency: 80 Hz.








- Injection TBT; 150 GeV; 8192 turns.
- Uncoalesced beam. Tuneup shot with large injection mismatches.




2/18/2005












- HV coupling is clear.
- Frequency of envelope is about 260 Hz.


Fourier Transforms of Position Data, Feb 7/05, Uncoalesced








#### Sum Signals for BPMs in A3, Feb 7/05, Uncoalesced




- Injection TBT.
- Sum signal (A+B)
- Same data as for positions.
  - Uncoalesced.
  - 150 GeV.
- Dominant frequency is different than in position data!

#### Detail of FT of Sum Signals for BPMs in A3, Feb 7/05, Uncoalesced




- Detail of Fourier transform.
- 150 GeV
  - $-f_{\text{sync}} \sim 80 \text{ Hz}.$
- Main structure
   at ~160 Hz is
   quadrupole
   oscillation of
   bunches in their
   buckets.




- TBT middle of HEP 36x36 store.
- 980 GeV; f<sub>sync</sub> ~37 Hz.
- Similar features on other BPMs.
- Closed orbit resolution correlates with size of 15 Hz oscillations.





- Amplitude of TBT Motion
- △ RMS of Closed orbit Measurements
- $\square$  Simple Model, sqrt( 0.5 TBT<sup>2</sup> + 7<sup>2</sup> )
- Can observed TBT motion explain the variation in RMS of closed orbit measurements?
- In broad strokes yes. Still working on a quantitative model.



 Not sure why line at 19918 Hz is at the same frequency in both horizontal and vertical?

#### Conclusions

- TBT and Injection TBT are working.
- We can cleanly see:
  - Synchrotron lines
  - Betatron lines
  - Quadrupole oscillations
  - HV Coupling
  - 15 Hz noise.
- Can make quantitative measurements of these in 8192 turns.
- 1113/5 artifacts are present in safe places.

#### **Further Details**

- Documents earlier than 1565 discuss debugging the instrument.
- Beams-doc-1565
  - HEP Shot. One coalesced bunch.
  - Synchrotron, betatron motion.
- Beams-doc-1566
  - Tune up shot. Uncoalesced.
  - Synchrotron, betatron motion
  - Quadrupole oscillation of bunch in bucket.
  - Resolution.
- Beams-doc-1571
  - HV Coupling
- Beams-doc-1577
  - 15 Hz noise.
- Watch DocDb for latest developments.

## Backup Slides

## **Fourier Transform**


• F(f), defined by:

$$\tilde{F}(f) = C(f) \sum_{n=0}^{N-1} (P_n - \overline{P}) \exp(i2\pi f t_n)$$

- N is number of data points.
- P<sub>n</sub>, t<sub>n</sub> are position and time on turn n.
- C(f) is a normalization factor.
- P is mean position of all data.
  - Subtracted to remove alias at 0 Hz.

## 1113 / 5 Artifacts

- Digitizer is clocked at 7/5 f<sub>RF</sub>.
- After 7 cycles of this clock, and 5 cycles of RF, the 7/5 RF clock is back in sync with the RF.
- After one full turn of 1113 RF cycles, the 7/5 clock has not gone through a full cycle of 7 states.
- When first bunch of second turn arrives, the 7/5 clock has a different phase than it did when the first bunch of the first turn arrived.
- After 5 turns, the two clocks are back in sync.
- Beams-doc-1066



All 8 plots on same scale.